



**WHEN YOU FOCUS ON WORK WE WILL OFFER YOU FABULOUS SAFETY**

## **CHOOSE US**

- 1. LAUNDERING DOES NOT DAMAGE THE FABRIC PROPERTY**
- 2. CAN STAND CONTINUOUS LAUNDERING TEMPERATURES OF 900-1500 DEGREES**
- 3. GOOD COLOUR FASTENESS WITH EXCELLENT STRENGTH**
- 4. THE FABRIC HAS A SOFT FEEL**
- 5. NATURAL FIBER**



**THE WORLD CLASS ONE-STOP FR  
FABRIC/GARMENG MANUFACTURER**



**WHEN YOU FOCUS ON WORK WE WILL OFFER YOU FABULOUS SAFETY**




No.	Description	Specification	Weight(GSM)
YL-C/FR20003	100% cotton FR twill fabric	21S×21S/108×58	200
YL-C/FR26005	100% cotton FR twill fabric	20S×16S/128×60	265
YL-C/FR30006	100% cotton FR twill fabric	16S×12S/108×56	290
YL-C/FR38012	100% cotton FR twill fabric	10S×7S/80×46	380
YL-C/FR40013	100% cotton FR twill fabric	7S×7S/68×38	400
YL-C/FR31008	100% cotton HRC FR twill fabric	10S×10S/74×44	310
YL-C/FR34010	100% cotton HRC FR twill fabric	10S×10S/80×46	335
YL-C/FR33054	100% cotton FR satin fabric	16S×10S/108×56	320
YL-C/FR34055	100% cotton FR satin fabric	30S/2×10S/108×58	340
YL-C/FRA31008	100% cotton FR anti-static twill fabric	10S×10S/74×44	310
YL-C/FRA32009	100% cotton FR anti-static twill fabric	16S×10S/108×56	320
YL-C/FRA26005	100% cotton FR anti-static twill fabric	20S×16S/128×60	260
YL-C/FRA31053	100% cotton FR anti-static satin fabric	16S×10S/104×52	300
YL-C/FRA34055	100% cotton FR anti-static satin fabric	30S/2×10S/108×58	340
YL-C/CP26005	100% cotton CP FR twill fabric	20S×16S/128×60	270
YL-C/CP22004	100% cotton CP FR twill fabric	20S×20S/108×56	220
YL-C/CP34055	100% cotton CP FR satin fabric	30S/2×10S/108×58	340
YL-C-TL/FR32066	100% cotton FR spandex fabric	10S×10S+ 70D	320



**THE WORLD CLASS ONE-STOP FR  
FABRIC/GARMENG MANUFACTURER**



**WHEN YOU FOCUS ON WORK WE WILL OFFER YOU FABULOUS SAFETY**



No.	Description	Specification	Weight(GSM)
YL-C/FR49058	100% cotton FR reversible satin fabric	10S×20S/2/140×44	490
YL-C/FR17001	100% cotton FR plain fabric	20S×20S/60×60	170
YL-CVC/FR29073	CVC 60/40 FR twill fabric	20S×16S/128×60	290
YL-CVC/FR31074	CVC 70/30 FR satin fabric	36S/2×12S/110×59	310
YL-CVC/FRA34075	CVC FR anti-static twill fabric	10S×10S/74×44	340
YL-HIV/FR34151	CVC FR satin fabric	200D×8S	340
YL-CN/FR30093	C/N 88/12 HRC FR satin fabric	16S×16S	300
YL-CN/FR24092	C/N 88/12 FR twill fabric	32S/2×32S/2	245
YL-CN/FRA35095	C/N 88/12 FR HRC anti-static satin fabric	16S×10S	350
YL-III A22115	Aramid IIIA	32S/2×32S/2	220
YL-III A15111	Aramid IIIA	40S/2×40S/2	145
YL-AC/FRA17131	Modacrylic/cotton FR ESD twill fabric	40S/2×40S/2	170
YL-AC/FRA26135	Modacrylic/cotton FR ESD twill fabric	32S/2×32S/2	255
YL-AC/FRA28136	Modacrylic/cotton FR ESD twill fabric	24S/2×24S/2	280
YL-C/FRAW30006	100% cotton FR anti-static water-oil repellent twill fabric	10S×10S/72×42	300
YL-C/FRAC35060	100% cotton FR anti-static ,anti acid and alkali satin fabric	16S×7S/94×52	350
YL-C/FRAW32059	100% cotton anti-static water-oil repellent FR satin fabric	14S×10S/100×56	320
YL-CVC/FRAW27072	CVC 80/20 FR water-oil repellent anti-static twill fabric	16S×16S/96×58	270



**THE WORLD CLASS ONE-STOP FR  
FABRIC/GARMENG MANUFACTURER**



**WHEN YOU FOCUS ON WORK WE WILL OFFER YOU FABULOUS SAFETY**



No.	Description	Specification	Weight(GSM)
YL-C/FR49058	100% cotton FR reversible satin fabric	10S×20S/2/140×44	490
YL-C/FR17001	100% cotton FR plain fabric	20S×20S/60×60	170
YL-CVC/FR29073	CVC 60/40 FR twill fabric	20S×16S/128×60	290
YL-CVC/FR29074	CVC 70/30 FR satin fabric	36S/2×12S/110×59	310
YL-CVC/FRA34075	CVC FR anti-static twill fabric	10S×10S/74×44	340
YL-HIV/FR34151	CVC FR satin fabric	200D×8S	340
YL-CN/FR30093	C/N 88/12 HRC FR satin fabric	16S×16S	300
YL-CN/FR24092	C/N 88/12 FR twill fabric	32S/2×32S/2	245
YL-CN/FRA35095	C/N 88/12 FR HRC anti-static satin fabric	16S×10S	350
YL-III A22115	Aramid IIIA	32S/2×32S/2	220
YL-III A15111	Aramid IIIA	40S/2×40S/2	145
YL-AC/FRA17131	Modacrylic/cotton FR ESD twill fabric	40S/2×40S/2	170
YL-AC/FRA26135	Modacrylic/cotton FR ESD twill fabric	32S/2×32S/2	255
YL-AC/FRA28136	Modacrylic/cotton FR ESD twill fabric	24S/2×24S/2	280
YL-C/FRAW30006	100% cotton FR anti-static water-oil repellent twill fabric	10S×10S/72×42	300
YL-C/FRAC35060	100% cotton FR anti-static ,anti acid and alkali satin fabric	16S×7S/94×52	350
YL-C/FRAW32059	100% cotton anti-static water-oil repellent FR satin fabric	14S×10S/100×56	320
YL-CVC/FRAW27072	CVC 80/20 FR water-oil repellent anti-static twill fabric	16S×16S/96×58	270



**THE WORLD CLASS ONE-STOP FR  
FABRIC/GARMENG MANUFACTURER**



**WHEN YOU FOCUS ON WORK WE WILL OFFER YOU FABULOUS SAFETY**



No.	Description	Specification	Weight(GSM)
YL-TC/CWO24308	T/C 65/35 anti acid and alkali water-oil repellent fabric	20S×16S/120×60	240
YL-TC/ESD16303	T/C 65/35 anti-static twill fabric	32S×32S/130×70	155
YL-C/FR33042	100% cotton FR canvas	21S/3×21S/3/40×39	330
YL-C/FR35015	100% cotton FR reversible fabric	13S/2×13S/2/48×39	350
YL-C/UV27061	Anti-UV cotton twill fabric	16S×12S/108×56	270
YL-TC22341	T/C 65/35 coutil fabric	32S/2×32S/2/95×49	220
YL-C31214	100% cotton dyed fabric	10S×7S/72×42	310
YL-C24208	100% cotton dyed fabric	16S×12S/96×48	235
YL-C-TL22255	100% cotton spandex twill fabric	16S×16S+70D/90×40	220
YL-C-TL25256	100% cotton spandex twill fabric	20S×16S+70D/128×44	250
YL-TC24307	T/C 65/35 twill fabric	14S×14S/81×53	240
YL-TC27309	T/C 65/35 twill fabric	14S×12S/86×56	270
YL-TC24173	T/C 65/35 poly cotton interweave fabric	150D×(150D : 12S)	240
YL-TC25189	CVC 55/45 poly cotton interweave fabric	200D×10S	250
YL-TC26188	T/C 80/20 poly cotton interweave fabric	150D×10T/C	260
YL-TC27180	T/C 55/45 poly cotton interweave fabric	250D×10S	270
YL-TC-MC22382	T/C65/35 poly/cotton camouflage fabric	20S×16S/108×56	220
YL-TC-MC27383	T/C80/20 camouflage canvas fabric	21S/2×10S/7×40	270




**THE WORLD CLASS ONE-STOP FR  
FABRIC/GARMENG MANUFACTURER**



**WHEN YOU FOCUS ON WORK WE WILL OFFER YOU FABULOUS SAFETY**

## **MORE COLOURS AVAILABLE**



**WE CAN ANALYZE YOUR FABRIC SAMPLES  
ALL OF OUR FABRICS QUALITY HAVE BEEN TESTED  
WE CAN OFFER YOU THE TEST REPORT IF YOU NEED**



**THE WORLD CLASS ONE-STOP FR  
FABRIC/GARMENG MANUFACTURER**