



YUJLONG TEXTILE

www.fireproofworkwear.com

the world class one-stop FR fabric/garment manufacturer

**YULONG
TEXTILE**

www.fireproofworkwear.com



Xinxiang Yulong Textile co., LTD. is a large-scale manufacturing enterprise which providing quality special protective clothing for domestic and international electric power, petrochemical, natural gas, fire protection, forest protection and other industries. The garment factory produces 200,000 sets of flame retardant workwear, polyester/cotton fluorescent clothing and other functional clothes per year, our products reach GB, EN, ASTM and NFPA standards and exporting to Europe, United States etc.

the world class one-stop FR fabric/garment manufacturer

YL-WCO186

**Fabric:**

100% cotton fire retardant, 270GSM

Lining: 100% cotton, 150GSM

Filling: 100% polyester, 200GSM

Description:

- Two-way brass zipper;
- Elastic back waist;
- 5CM reflective tape.



YL-CO199

**Fabric:**

88% cotton 12% nylon
fireproof satin, 16S×16S,
300GSM

Description:

- Small square collar;
- YKK X metal zipper;
- Adjustable sleeve cap with snap button;
- Active back.



EN 11612



EN 11611



ILC 61482



EN 14116

YL-CO173

**Fabric:**

100% cotton fire resistant
anti-static, 200GSM

Description:

- Two-way FR nylon zipper,
- Sleeve placket rooftop waist line,
- Flap pocket with velcro closure.
- Elastic back waist.



YL-CO208

**Fabric:**

Hi-visibility poly/cotton
interweave fabric,
200D×8S, 340GSM

Description:

- Turn-down collar,
- Two-way brass zipper,
- Access pockets on pants,
- Elastic back waist.



YL-WBO237

**Fabric:**

100% cotton flame retardant,
360 GSM, 10S×7S/74×44;
padding: 270 GSM;
5cm FR Reflective Tape

Description:

- Elastic back waist;
- #5 metal zipper;
- Double layer kneecap.



EN 11612



EN 11611



EN 14116



ASTM F1959



NFPA®

YL-WBO195

Fabric:

100% cotton

flame retardant anti-static,
20S×16S/128×60;

Padding: 180 GSM;

Lining: 210T polyester.

Description:

- Elastic back waist;
- #5 metal zipper;
- 3 waist loops;
- Double layer kneecap.



ISO 1437



EN 11612



EN 11611



EN 1149



ASTM F1559



YL-B0243

**Fabric:**

100% cotton fire proof,
16S×12S / 96×48, 260GSM

Description:

- Front top pocket with metal zipper;
- Inner elastic waist;
- Multi-functional leg pocket;
- Double layer kneecap.



YL-B0238

Fabric:

CVC 80/20, water/oil repellent
anti-static, 16S×16S / 96×58,
230GSM

Description:

- Vertical sidekicks on right front top;
- 5 waist loops;
- Elastic back waist;
- #5 metal zipper;
- Double layer kneecap.



YL-WJK221*/YL-WBO221*

Fabric :

CVC 80/20 anti-static, 255GSM;
padding materials:180GSM;
lining: 210T polyester,
5cm reflective tape

Description:**■ Jacket:**

- Two ways metal zipper;
- Two inner patch pockets;
- Curve jacket bottom;

■ Bib pants:

- Elastic back waist;
- Double layer kneecap;
- Pants bottom with zipper.



EN 1149

YL-JK155*/YL-BO155***Fabric:**

**Aramid IIIA, 40S/2×40S/2,
150GSM**

Description:

- Turn down collar;
- Plastic card bag on chest;
- Contrast color back;
- Curve hem;
- 5cm 3M Reflective Tape.



EN 11612



EN 11611



EN 1149

YL-JK183/YL-PA183

Fabric:

T/C 65/35 fluorescent
orange fabric, 200D×10s;
T/C 65/35 gray color fabric,
215×215/108×58;
5cm reflectivetape

Description:**■ Jacket:**

- Two-way metal zipper;
- Jacket bottom with snap fastener.
- Jacket elastic waist bottom.

■ Pants:

- Two side elastic waist;
- Seven waist loops.



EN 20471

YL-JK238/YL-BO238

Fabric:

CVC 80/20, anti-static
water/oil repellent,
16S×16S/96×58 ;
5 cm reflective tape.

Description:**■ Jacket:**

- Hood back with velcro;
- Adjustable lining waist and bottom.

■ Bib pants:

- Elastic back waist,
- Double layer kneecap;
- Pants bottom with zipper.



EN 1149

YL-WJK178

Fabric:

100% cotton FR anti-static, 260GSM;

padding materials: 150GSM

Lining: 100% cotton FR plain,

20Sx20S/60x60, 170GSM

Description:

- **Two inner pockets on the chest;**
- **8# two way zipper,**
closed with snap button;
- **Elastic cuffs and bottom.**



YL-WJK178



Fabric:

65% cotton 35% polyester
water/oil repellent anti-static

Description:

- Slant pocket with velcro on the chest;
- Sleeve tab on the cuff with velcro.



YL-WJK182

**Fabric:**

100% cotton FR, 300GSM;

Lining: 100% cotton, 200GSM;

padding materials: 150GSM.

Description:

- Hood with adjustable "D" button;
- 8# two way FR zipper;
- Elastic cuff with sleeve tab.



YL-WJK182

Fabric:

Fluorescent interweave fabric,
250D×10S, 270GSM

Description:

- Polar fleece collar lining;
- 5# nylon zipper;
- Elastic cord in the bottom;
- Mesh inner lining;
- 7cm width 3M reflective tape on shoulders.



YL-SH172



Fabric:

100% cotton FR twill,
20S×16S/128×60

Description:

- Resin button;
- Sleeve placket rooftop cuff;
- Curve hem.



EN 11612

EN 11611

EN 14116

IEC 61482

YL-SH185

Fabric:

100% cotton , 150GSM

Description:

- Backside ventilation opening;
- Mesh fabric under arm and shoulder; Curve hem;
- 5cm reflective tape.



YL-PA242

**Fabric:**

100% cotton, 16S×12S/108×56,
290GSM

Description:

- Self-locking zipper and shank button;
- Contrast color kneecap;
- Tool pocket on leg side.



YL-PA186

**Fabric:**

CVC 55/45 fluorescent
interweave, 245GSM

Description:

- Self-locking zipper and button;
- Kneecap with velcro and filler;
- 5cm reflective tape.





**YULONG
TEXTILE**

• contact us •

TEL:0086-373-3070977

0086-373-3037877

E-MAIL:inquiry@fireproofworkwear.com

WED:www.fireproofworkwear.com

the world class one-stop FR fabric/garment manufacturer