

Xinxiang Yulong Textile Co.,Ltd.





TEI: +86-373-3070977

E-mail: inquiry@yulongfrtex.com

Web: www.yulongfrtex.com




















STREET, SHE SHE SHE





Xinxiang Yulong Textile co., LTD. is a large-scale manufacturing enterprise which providing quality special protective clothing for domestic and international electric power, petrochemical, natural gas, fire protection, forest protection and other industries. The garment factory produces 200,000 sets of flame retardant workwear, polyester/cotton fluorescent clothing and other functional clothes per year, our products reach GB, EN, ASTM and NFPA standards and exporting to Europe, United States etc.





Function: Flame retardant, Antistatic

Standard: EN 11611, EN 11612, EN 14116, EN 1149















100% cotton FR anti-static, 260GSM; padding materials: 150GSM Lining: 100% cotton FR plain, 20Sx20S/60x60, 170GSM

Description:

- Two inner pockets on the chest;
- ■8# two way zipper, closed with snap button;
- Elastic cuffs and bottom.



YL-WJK178




YL-JK126

Fabric:

65% cotton 35% polyester water/oil repellent anti-static Description:

- Slant pocket with velcro on the chest;
- ■Sleeve tab on the cuff with velcro.









E-mail: inquiry@yulongfrtex.com Web: www.yulongfrtex.com





Function: Flame retardant, Antistatic, water oil repellent.
Standard: EN 1149-3, EN 11611, EN 11612, AATCC22, AATCC118.













100% cotton FR, 300GSM; Lining:100%cotton, 200GSM; padding materials: 150GSM.

- Description:

 Hood with adjustable

 "D" button;
 - ■8# two way FR zipper;
 - Elastic cuff with sleeve tab.



YL-WJK182



Fluorescent interweavefabric, 250D×10S, 270GSM

Description:

- ■Polar fleece collar lining;
- ■5# nylon zipper;
- Elastic cord in the bottom;
- ■Mesh inner lining;
- ■7cm width 3M reflective tape on shoulders.



Function: Hi-vis safety warning Standard: EN 20471



E-mail: <u>inquiry@yulongfrtex.com</u>
Web:www.yulongfrtex.com





Function: Fireproof, Arc Proof Standard: EN11611, EN11612, EN14116,IEC61482















100% cotton FR twill, 20S×16S/128×60

Description:

- Resin button;
- Sleeve placket rooftop cuff;
- Curve hem.



YL-SH172



Fabric:

100% cotton, 150GSM

Description:

- ■Backside ventilation opening;
- Mesh fabric under arm and shoulder; Curve hem;

YL-SH185

■5cm reflective tape.



Function: Hi-vis safety warning

Standard: EN 20471

E-mail: inquiry@yulongfrtex.com

Web:www.yulongfrtex.com





Function: Fireproof, Arc proof Standard: EN11611, EN11612, NFPA 70E, ASTM D 6413

















100% cotton, 16S \times 12S/108 \times 56, 290GSM

Description:

Fabric:

- Self-locking zipper and shank button;
- ■Contrast color kneecap;
- ■Tool pocket on leg side.




YL-PA242



CVC 55/45 fluorescent interweave, 245GSM Description:

■Kneecap with velcro and filler;





■5cm reflective tape.





Function: Hi-visibility Standard: EN20471





E-mail: <u>inquiry@yulongfrtex.com</u> Web:www.yulongfrtex.com

MORE COLOURS AVAILABLE

